

FortiGate 4200F Series

FG-4200F/-DC and FG-4201F/-DC



Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and SD-WAN.

Security-Driven Networking FortiOS delivers converged networking and security.

Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

Enterprise Security with consolidated Al / ML-powered FortiGuard

ML-powered FortiGuard Services. Hyperscale Security

to secure any edge at any scale.

High Performance with Flexibility

The FortiGate 4200F Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 4200F Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 4200F automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces		
52 Gbps	47 Gbps	45 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots DC Variants		



Available in



Appliance



Virtual





Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced Al/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



FortiGuard Services

Network and File Security

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multilayered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

Zero-Day Threat Prevention

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

OT Security

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



Secure Any Edge at Any Scale

Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing

. · · ·		-	
=			
_		_	l
=	_	_	i
-	-		



Intuitive view and clear insights into network security posture with FortiManager

Centralized Network and Security Management at Scale

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.

Use Cases

Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



HyperScale

- Purpose-built SPUs power FortiOS to consolidate networking and security and deliver ultra-scalable Security-Driven Networks
- Unparalleled ultra-high performance offers the industry's highest number of connections and connections per second performance combined with security-enabled performance to safeguard business-critical applications
- Hardware assisted anti-DDoS prevents volumetric attacks and delivers strong security posture



Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

FortiCitient

TNA / VPN

FortiCate

NGFW

FortiGate

Data Center

FortiGate

Image: Note of the second se

Datacenter Deployment (NGFW, IPS, Segmentation)

Hardware

FortiGate 4200F Series

SSD1 🕀 SSD2

1000 1000


000000000

-

ē

ē


FAN



Interfaces

- 1. 1 x USB Management and Console Port
- 2. 2 x GE RJ45 Management Ports
- 3. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP High Availability Slots
- 4. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 5. 16 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 6. 8 × 100 GE QSFP28/ 40 GE QSFP+ Slots

Hardware Features



Hyperscale Firewall License

FAN:

6

This perpetual license empowers organizations by unlocking further performance boosts. The Hyperscale Firewall License enables the hardware acceleration of CGNAT features by utilizing Fortinet's patented SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

8 + +

Trusted Platform Module (TPM)

The FortiGate 4200F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4200F series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.

Specifications

Interfaces and ModulesHardware Accelerated 100 GE QSFP28 / 40 GE QSFP* Slots8Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Blots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Alsots2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers22 GE SP28 / 22 GE SPE AlsotsSystem Performance — Enterprise Traffic MixUFS Throughput 252 GebpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityUPV S Firewall Throughput 2.4800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)302 µsFirewall Throughput 1600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Getaway-to-Gateway IPsec VPN Tunnels200 000SSL Inspection Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 330 000Getaway-to-Gateway IPsec VPN Tunnels300 <th></th> <th>FG-4200F/-DC</th> <th>FG-4201F/-DC</th>		FG-4200F/-DC	FG-4201F/-DC		
40 GE QSFP+ SlotsHardware Accelerated 25 GE SFP28 / 10 GE SFP // GE SFP JASiots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP // GE SFP JASiots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP // GE SFP JASiots2GE RJA5 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix2IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.445 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 2.4800 /788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (512 byte) 1210 Glillion / 450 Million*Firewall Policies400 000Queryento Gateway IPsec VPN Tunnels200 000SL-NPC NThroughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels300 000SL-NPC NThroughput16 GbpsClient-to-Gateway IPsec VPN Tunnel Mode)30 GbpsSL Inspection CPS (IPS, avg. HTTPS) 334 d00SL Inspection CPS (IPS, avg. HTTPS) 4300 000SL Inspection CPS (IPS, avg. HTTPS) 4300 000Greway IPsec VPN Tunnels300 000Greway IPsec VPN Tunnel Mode)30 GbpsSL Inspection CPS (IPS, avg. HTTPS) 434 000SL Inspection CPS (IPS, avg. HTTPS) 5300 000Greway IPse	Interfaces and Modules				
10 GE SPP+ / GE SPP blotsHardware Accelerated 25 GE SP28 / 10 GE SPP+ / GE SPP AUX Slots2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix2USB Port52 Gbp5NGFW Throughput 2.447 Gbp5Threat Protection Throughput 2.5800 / 788 / 400 Gbp5System Performance and Capacity900 / 788 / 400 Gbp5IPv5 Firewall Throughput 1800 / 788 / 400 Gbp5Firewall Latency (64 byte, UDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (172 PV)210 Million / 450 Million*Neessions/Second (TCP)11 Million 7Statument (512 byte)300 00Gateway Locatevay IPsec VPN Tunnels200 000Statument (512 byte)30 000Statument (512 byte)30 000Statument (512 byte)30 000Statument (512 byte)30 000Statument (512 byte)34 000Statument (512 byte)34 000Statument (512 byte)34 000Statument (512 byte)34 000Statument (512 byte)30 Gbp5Statument (512 byte)30 Gbp5Statument (512 byte)31 Gbp5Gateway (56 C VPN Tunnels30 000Statument (512 byte)31 Gbp5Gateway (56 C VPN Tunnels30 000Statument (512 byte)31 Gbp5Statument (512 byte)31 Gbp5Gateway (56 C VPN Tunnels <td< th=""><th></th><th colspan="4">8</th></td<>		8			
10 GE SFP 4/ GE SFP HA SlotsHardware Accelerated 25 GE SFP28/ 10 GE SFP 4/X Slots2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix1IPS Throughput 2*52 GbpsNGFW Throughput 2*45 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 1*800 / 788 / 400 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput 1*800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 1 Million*Firewall Policies400 000IPsec VPN Throughput (S12 byte) 1201 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-Npection Throughput30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Croorurent Session9 MillionGiPs, avg. HTTPS) 334 000SSL Inspection Croorurent Session9 MillionGress, avg. HTTPS) 3 <t< th=""><th></th><th colspan="4">16</th></t<>		16			
10 GE SFP 4/ GE SFP AUX SlotsGE R/45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 2*52 GbpsMGFW Throughput 2*45 GbpsSystem Performance and CapacityIPv4 Firewall Throughput 2*.5800 / 788 / 400 GbpsFirewall Throughput 2*.6800 / 788 / 400 GbpsFirewall Throughput 2*.6800 / 788 / 400 GbpsFirewall Throughput 1*.6800 / 788 / 400 GbpsGoncurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsGSL-VPN Throughput50 GbpsSSL Inspection Throughput50 GbpsSSL Inspection Throughput315 GbpsConcurrent SSL-VPN Users300(Pris, avg. HTTPS) 334 000SSL Inspection Chroughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsChrunels300Chrunels (Default / Maximum)10 / 500Maximum Number of FortiAPs8192 / 4096Maximum Number of FortiAPs20 000Maximum Number of FortiAPs50 000Max		2			
USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps[1518 / 512 / 64 byte, UDP)3.02 µsFirewall Throughput800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (HTTP 64K)37 GbpsSSL Inspection Concurrent Session9 MillionApplication Control Throughput (HTTP 64K)35 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsChrunels300Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiSwitches (Total / Tunnel)302Maximum Number of FortiSwitches (Total / Tunnel)20 000		2			
Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix1IPS Throughput 2.452 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 86 byte, UDP)3.02 μsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-vPN Throughput (Packet per Second)50 GbpsSSL Inspection CPS (UPS ag., HTTPS) 33.4 000SSL Inspection Throughput (Packet per Second)50 GbpsSSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches300Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000	GE RJ45 Management Ports	2			
Included Transceivers02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps[1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 7 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 334 000SSL Inspection COncurrent Session (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 330 00Application Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum) Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Maximum Number of FortiSwitches Supported310 000Maximum Number of Registered FortiClients20 000	USB Port	1			
Included Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput50 GbpsSSL-VPN Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(PFS, avg. HTTPS) 334 000SSL Inspection Concurrent Session300(PFS, avg. HTTPS) 3300Maximum Number of FortiSwitches300Supported300Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000Maximum Number of FortiSwitches20 000 </th <td>Console Port</td> <td>1</td> <th></th>	Console Port	1			
System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity100 GbpsIPv4 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 750 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels30 000SSL-VPN Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 3300Million10 / 500Maximum Number of FortiSwitches300Supported300Maximum Number of FortiSwitches20 000Maximum Number	Onboard Storage	0	2× 2 TB SSD		
IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 GbpsIPv6 Firewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported8192 / 4096Maximum Number of FortiAPs Supported20 000Maximum Number of FortiAPs Supported20 000Maximum Number of Registered FortiClients20 000	Included Transceivers	2x SFP+ (S	R 10 GE)		
NGFW Throughput ^{2,4} 47 GbpsThreat Protection Throughput ^{2,4} 45 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (Packet) and	System Performance — Enterprise Traffic Miz	< Comparison of the second sec			
Threat Protection Throughput *.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chrolyput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Cotal / Tunnels20 000Maximum Number of FortiAPs Cotal / Tunnel20 000	IPS Throughput ²	52 Gb	ops		
System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs (Total / Tunnel)3000Maximum Number of FortiAPs (Total / Tunnel)20 000	NGFW Throughput ^{2, 4}	47 Gb	ops		
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 Million(HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiAPs (rotal / Tunnel)20 000	Threat Protection Throughput ^{2,5}	45 Gb	ops		
(1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 330 000Stunde Concurrent Session (IPS, avg. HTTPS) 330 000Maximum Number of FortiSwitches Supported300Maximum Number of FortiAPs (Total / Tunnel)3192 / 4096Maximum Number of Registered 50 00050 000	System Performance and Capacity				
(1518 / 512 / 86 bytě, ÚDP)Firewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (IPT 64K) 47 Gbps10 / 500Virtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiAPS (Total / Tunnel)20 000Maximum Number of FortiAPs (Total / Tunnel)20 000		800 / 788 / 400 Gbps			
Firewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches supported300Maximum Number of FortiSwitches (Total / Tunnel)20 000Maximum Number of Registered FortiClients50 000		800 / 788 / 400 Gbps			
Concurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCaPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Latency (64 byte, UDP)	3.02 µs			
New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Throughput (Packet per Second)	600 Mpps			
Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (HTTP 64K) 29 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum) Supported10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Concurrent Sessions (TCP)	210 Million / 450 Million*			
IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (HTTP 64K) 2915 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	New Sessions/Second (TCP)	1 Million / 7	Million*		
Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum) upported10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Policies	400 0	400 000		
Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, ayg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	IPsec VPN Throughput (512 byte) ¹	210 Gbps			
SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Gateway-to-Gateway IPsec VPN Tunnels	40 000			
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Client-to-Gateway IPsec VPN Tunnels	200 000			
(Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, avg. HTTPS) ³ 50 Gbps SSL Inspection CPS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL-VPN Throughput	16 Gbps			
(IPS, avg. HTTPS) ³ 34 000 SSL Inspection CopS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		30 00	30 000		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		50 Gbps			
(IPS, avg. HTTPS) 3 Application Control Throughput (HTTP 64K) 2 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL Inspection CPS (IPS, avg. HTTPS) ³	34 000			
(HTTP 64K) ² 47 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Maximum Number of FortiAPs 8192 / 4096 (Total / Tunnel) 20 000 Maximum Number of Registered 50 000		9 Million			
Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		135 Gbps			
Maximum Number of FortiSwitches300Supported300Maximum Number of FortiAPs8192 / 4096Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	CAPWAP Throughput (HTTP 64K)	47 Gbps			
Supported Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	Virtual Domains (Default / Maximum)	10 / 500			
(Total / Tunnel) Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		300			
Maximum Number of Registered 50 000 FortiClients		8192 / 4096			
FortiClients	Maximum Number of FortiTokens	20 000			
High Availability Configurations Active-Active, Active-Passive, Clustering		50 000			
	High Availability Configurations	Active-Active, Active-	Passive, Clustering		

	FG-4200F/-DC	FG-4201F/-DC			
Dimensions and Power					
Height x Width x Length (inches)	5.22 × 17.20 × 26.17				
Height x Width x Length (mm)	132.5 × 437 × 664.8				
Weight	59.75 lbs (27.1 kg)	61.07 lbs (27.7 kg)			
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 3 RU				
AC Power Supply	100-240V AC, 50/60 Hz				
AC Current (Maximum)	13.5A@120V,	, 5.5A@240V			
Power Consumption (Average / Maximum)	931 W / 1291 W 94				
DC Power Supply	-48V to -60V DC				
DC Current (Average / Maximum)	20A / 100Apk				
Heat Dissipation	4405 BTU/h	4456 BTU/h			
Redundant Power Supplies	Default 1+1 Redundant, Hot Swappable				
Power Supply Efficiency Rating	80Plus Compliant				
Fan Tray	Hot Swappable				
Operating Environment and Certifications					
Operating Temperature	32°F to 104°F (0°C to 40°C)				
Storage Temperature	-31°F to 158°F (-35°C to 70°C)				
Humidity	20% to 90% non-condensing				
Noise Level	57 dBA				
Forced Airflow	Front to Back				
Operating Altitude	Up to 7400 ft (2250 m)				
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB				
Certifications	USGv	6/IPv6			

* Requires Hyperscale Firewall License

Note: All performance values are "up to" and vary depending on system configuration.

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\scriptscriptstyle 3}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

⁴ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

Ordering Information

•		
Product	SKU	Description
FortiGate 4200F	FG-4200F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2 AC power supplies.
FortiGate 4201F	FG-4201F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 AC power supplies.
FortiGate 4200F-DC	FG-4200F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, and 2 DC power supplies.
FortiGate 4201F-DC	FG-4201F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 DC power supplies.
Hyperscale Firewall License	LIC-FGT-HYPSC	Hyperscale Firewall License for FortiGate FG-4200F/FG4201F Series for hardware session setup acceleration and logging.
Optional Accessories/Spares	SKU	Description
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600E-DC/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3950B/-DC, and FG4200F/4201F.
AC Power Supply	SP-FG4000F-PS	2000W AC power supply for 4000F and 6000F series, does not include SP-FGPCORC15-XX power cord.
AC Power Cord	SP-FGPCORC15-XX	6 ft power cord, 15A125V XXX, PSE BLACK ROHS-6, for FG-3900E, 4000F, 6000F and 7000E/F Series.
DC Power Supply	SP-FG4000F-DC-PS	DC power supply for FG-4200F-DC/4201F-DC, FG-4400F-DC/4401F-DC and FG-6000F-DC.
Fan Tray	SP-FG4K6K-FAN	Spare Hotswappable Fan Module for FG-420xF/440xF/6000F.
Transceiver Modules	SKU	Description
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately).
10 GE SFP+ Transceiver Module, (connects to FN-TRAN-SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately).
25 GE SFP28 Transceiver Module, Long Range	FN-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, 40km Extended Range	FN-TRAN-QSFP+ER	40 GE QSFP+ transceiver module, 40km extended range, for systems with QSFP+/QSFP28 slots.
100 GE QSFP28 Transceiver Module	FN-TRAN-QSFP28-DR	100 GE QSFP28 transceiver module, single channel single-mode fiber, 100GBase-DR for systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Short Range	FN-TRAN-QSFP28-SR	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Long Range	FN-TRAN-QSFP28-LR	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module	FN-TRAN-QSFP28-BIDI	100 GE QSFP28 BIDI transceiver module, 100m MMF LC connector, for systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module, Inphi chipset	FN-TRAN-QSFP28-BIDI-I	100 GE QSFP28 BIDI transceiver module, Inphi chipset, short range, for systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module	FN-TRAN-QSFP28-CWDM4	100 GE QSFP28 transceiver module, LC connectors, 2KM for all systems with QSFP28 Slots.
100 GE QSFP28 Transceiver Module, 20km Extended Range	FN-TRAN-QSFP28-ER	100 GE QSFP28 transceiver module, 20km extended range, eLR4, gen3, for systems with QSFP28 slots.
Cables	SKU	Description
40 CE OSER Reseive Direct Attack Coble 1m Dance	SP-CABLE-FS-QSFP+1	40 GE QSFP+ Passive Direct Attach Cable, 1m range for Systems with QSFP+ slots.
40 GE QSFP+ Passive Direct Attach Cable, 1m Range		
40 GE QSFP+ Passive Direct Attach Cable, Im Range 40 GE QSFP+ Passive Direct Attach Cable, 3m Range	SP-CABLE-FS-QSFP+3	40 GE QSFP+ Passive Direct Attach Cable, 3m range, for Systems with QSFP+ slots.

Subscriptions

			Bundles			
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
FortiGuard Security Services	IPS — IPS, Malicious/Botnet URLs	•	•	•	•	
	Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct ³ , Al-based Heurestic AV, FortiGate Cloud Sandbox	•	•	•	•	
	URL, DNS and Video Filtering — URL, DNS and Video ³ Filtering, Malicious Certificate	•	•	•		
	Anti-Spam		•	•		
	Al-based Inline Malware Prevention ³	•	•			
	Data Loss Prevention (DLP) 1	•	•			
	Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check	•	•			
	OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS ¹	•				
	Application Control		included with FortiCare Subscription			
	Inline CASB ³		included with FortiCare Subscription			
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring	•				
Services	SD-WAN Overlay-as-a-Service	•				
	SD-WAN Connector for FortiSASE Secure Private Access	•				
	SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth) ²	٠				
NOC and SOC Services	FortiConverter Service for one time configuration conversion	•	•			
Services	Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management	٠				
	FortiGate Cloud—Management, Analysis, and One Year Log Retention	•				
	FortiManager Cloud	•				
	FortiAnalyzer Cloud	•				
	FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service	•				
Hardware and	FortiCare Essentials ²	•				
Software Support	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing		included with For	rtiCare Subscription		

1. Full features available when running FortiOS 7.4.1.

2. Desktop Models only.

3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards.



FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.




FortiCare Services

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.

Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet*, FortiGate*, FortiGate*, FortiGate*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other metrics contained hereins, whether expresses or implied, except to the extent Fortine tenters a binding written contract, signed poly fortinets Chief Legal Officer, with a purchaser that expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet Sincer in fortinet. For the stenses or implied, expression warranty expression withen expression of the publication without notice, and the most current version of the publication hall be applicable.