



FortiGate 7000F Series

FG-7121F, FG-7081F, FG-7081F-DC, FG-7081F-2, FG-7081F-2-DC, FIM-7921F, FIM-7941F, and FPM-7620F



Highlights

Gartner Magic Quadrant
Leader for both Network Firewalls and WAN Edge Infrastructure.

Secure Networking
FortiOS delivers converged networking and security.

Unparalleled Performance
with Fortinet's patented / SPU / vSPU processors.

Enterprise Security
with consolidated AI / ML-powered FortiGuard Services.

Hyperscale Security
to secure any edge at any scale.

High Performance with Flexibility

The FortiGate 7000F Series delivers high performance security-driven networks to large enterprises and service providers that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 7000F Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 7000F Series automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

Model	IPS	NGFW	Threat Protection	Interfaces
FG-7081F	405 Gbps	330 Gbps	312 Gbps	25 GE SFP28 / 10 GE SFP+ / GE SFP 100 GE QSFP28 /
FG-7121F	675 Gbps	550 Gbps	520 Gbps	40 GE QSFP+ 400 GE QSFP-DD



Available in



Appliance



Virtual



Hosted



Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FDS Application Signatures

FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





FortiGuard Services

Network and File Security

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multi-layered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

Zero-Day Threat Prevention

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering sub-second protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK[®] matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

OT Security

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



Secure Any Edge at Any Scale



Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



Intuitive view and clear insights into network security posture with FortiManager

Centralized Network and Security Management at Scale

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.

Use Cases



Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of AI-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



Secure SD-WAN


- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-anywhere models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



Mobile Security for 4G, 5G, and IoT


- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT64/ DNS64, NAT46 for 4G/GI/sGi, and 5G/NB connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

Datacenter Deployment (NGFW, IPS, Segmentation)




Hardware

FortiGate 7081F Series



FG-7081F-2C
FG-7081F-3C



FG-7081F-2C
FG-7081F-3C

Hardware Interfaces

Hardware Accelerated 400 GE QSFP+ ED / 100 GE QSFP28 / 40 GE QSFP+ Ports	16
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots	16
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots	48
Management/MA Slots	4
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ Slots	80
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ SFP Management/MA Slots	4
USB Ports	2
Console Ports	2
Onboard Storage	4x 4 TB SSD
Included Transceivers	4x 10 GE SFP4 TAA
System Performance and Capacity*	
Pv4 Firewall Throughput (1500 / 1512 / 64 byte, UDP packets)	1200 / 1200 / 1275 Mbps
Pv6 Firewall Throughput (1510 / 512 / 64 byte, UDP packets)	1200 / 1200 / 1125 Mbps
Firewall Latency (64 bytes, UDP)	<5 μs
Firewall Throughput (#packet per Second)	1000 Mpps
Concurrent Sessions (TCP)	600 Million
New Sessions/Sec (TCP)	5.4 Millions
Firewall Policies	200 000
IPsec VPN Throughput (512 bytes)*	3.7 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	40 000
Client-to-Gateway IPsec VPN Tunnels	360 000
SSL-VPN Throughput*	12.5 Gbps
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	30 000



IPS Throughput (Untagged) Max*	410 Gbps
SSL Inspection Throughput*	224 Gbps
SSL Inspection CPS (IPS, avg. HTTPS)*	350 000
SSL Inspection Concurrent Session (IPS, avg. HTTPS)*	63 M.
Application Control Throughput*	900 Gbps
ICMP Throughput*	330 Gbps
Threat Protection Throughput**	332 Gbps
CAPWAP Throughput	N/A
Virtual Domains (Default / Maximum)	10/400
Maximum Number of FortiTokens	12 000
Maximum Number of Fortiswitches Supported	300
Maximum Number of FortiAPIs (Total / Tunnel Mode)	N/A
High Availability Configurations	Active/Active (1+0/1), Active-Passive, Clustering
Dimensions and Power	
Height x Width x Length (inches)	21.43 x 17.33 x 25.0
Height x Width x Length (mm)	543.9 x 440 x 635.5
Weight	165.06 kg / 365.26 lbs
AC Power Supply	700 W to 277 VAC (50/60 Hz)
DC Power Supply	-60V to -80V DC
Power Consumption (Average / Maximum)	6100 W / 7300 W, 1000 W / 1300 W
AC Current (Maximum)	7A x 6
DC Current (Average/Maximum)	12.75A@48V / 12.75A@48V, 1.75A@48V / 1.75A@48V
Heat Dissipation (Average)	24 800 BTU/h
Operating Temperature	22°C to 40°C (52°F to 104°F)
Storage Temperature	-21°C to 55°C (-5°F to 131°F)
Humidity	0% to 100% non-condensing
Compliance	
Certifications	10A

* Performance specifications for FG-7081F-2C/3C can be based on 64BPM configuration.



Hardware

FortiGate 7121F



Trusted Platform Module (TPM)

The FortiGate 7000F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

Specifications

	FG-7020F-DC FG-7020F-2-DC	FG-7020E* FG-7020E-2-DC	
Interfaces and Modules			
Hardware Accelerated 400 GE QSFP-DD / 100 GE QSFP28 / 40 GE QSFP+ Slots	24	SSL Inspection-CPS (IPSL avg. HTTP/1.1)	400,000
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots	36	SSL Inspection Concurrent Session (IPSL, avg. HTTP/1.1)*	100 Million
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Management/VA Slots	4	Application Control Throughput*	15 Mbps
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ Slots	100	NDIW Throughput*	100 Gbps
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ Slots	4	Threat Protection Throughput**	120 Gbps
DE 10/100 Management Ports	4	CAPWAP Throughput	N/A
USB Ports	2	Virtual Domains (Default / Maximum)	10 / 100
Console Ports	14	Maximum Number of FortiSwitches	24,000
Diskless Storage	4x 4 TB SSD	Maximum Number of FortiAPs (Total / Tunnel Mode)	300
Included Transceivers	4x 10 GE SFP+ SR	High Availability Configurations	Active/Active (D-Link), Active/Passive, Clustering
System Performance - Enterprise Traffic Mix		Dimensions and Power	
IPS Throughput*	625 Gbps	Height x Width x Length (inches)	28.03 x 17.23 x 7.69
NDIW Throughput**	100 Gbps	Height x Width x Length (mm)	722 x 440 x 195.5
Threat Protection Throughput**	520 Gbps	Weight (maximum)	64.08 lbs (29.01 kg)
System Performance and Capacity		Form Factor (supports EU/Un-EU standards)	1U (Suits for 1-PM and 2-Slots for 2-PM)
IPv6 Firewall Throughput (10/10 / 512 / 64 bytes, UDP packets)	1.0G / 1.0G / 1.12G Mbps	AC Input (default configuration 2x1-PM (1020F) and 2x2-PM (1020E))	100W
IPv6 Firewall Throughput (15/10 / 512 / 64 bytes, UDP packets)	1.3G / 1.3G / 1.12G Mbps	Power Required	200 to 217 WAC (64800 Hrs)
Firewall Latency (64 bytes, UDP)	1.50 us	Power Consumption (Maximum / Average)	1754W / 1039W
Firewall Throughput (64 bytes, UDP)	1.0G Mbps	AC Current (Maximum)	17A
Firewall Throughput (Packet per Second)	1000 Mpps	DC Current (Average/Maximum)	1.18A@48V / 20A@48-440V
Concurrent Sessions (TCP)	1.000M	Heat Dissipation (Maximum)	33.203 BTU/h
New Sessions/Sec (TCP)	9 Million	Operating Environment and Certifications	
Firewall Policies	200,000	Operating Temperature	-20°C to 50°C (IP6C to 40°C)
Phase VPN Throughput (312 bytes)*	10Gbps	Storage Temperature	-35°C to 70°C (-35°C to 40°C)
Gateway-to-Gateway IPsec VPN Tunnels	40,000	Humidity	0% to 90% non-condensing
Client-to-Gateway Phase VPN Tunnels	200,000	Compliance	
SSL-VPN Throughput*	13.7 Gbps	Certifications	FCC, IC, CE, IEC60068-2-20, IEC60068-2-14
Concurrent SSL-VPN Users (Recommended Maximum)	30,000		
IPS 3 Throughput (Enterprise Max)*	625 Gbps		
SSL Inspection Throughput*	500 Gbps		

* Performance specifications for FG-7020F and based on 10 VPM combination.

Note: All performance values are "best-in" and vary depending on system configuration.


1. Threat VPN performance: Intel Xeon E5-2650 v3 (16GB RAM).
2. IPS (Enterprise Max), Application Control, NDIW and Threat Protection are measured with logging enabled.
3. SSL Inspection performance values are an average of 100 VPM sessions of different cipher suites.

4. NDIW performance is measured with Firewall, IPS, and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control, L4-L7 Filtering, and Malware Protection with sandboxing enabled.
6. Measured arm VPN load balancing.
7. Measured on single VPM test.



Hardware

Fortinet Interface Module FIM-7921F and FIM-7941F



Hardware Features



Specifications

	FIM-7921F	FIM-7941F
Hardware Interfaces		
Hardware Accelerated 400 GE QSFP-DD / 100 GE QSFP28 / 40 GE QSFP+ Slots	2 ¹	2 ¹
Hardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots	18 ¹	18 ¹
Hardware Accelerated 10 GE QSFP28 / 40 GE QSFP+ Management/HA Slots	2	2
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ SFP Management/HA Slots	2	2
EEBI4.5 Management Ports	2	2
USB Ports	1	1
Console Ports	1	1
Onboard Storage	2 x 4 TB SSD	2 x 4 TB SSD
Included Transceivers	2 x 10 GE SFP4 SR	2 x 10 GE SFP4 SR
Dimensions and Power		
Height x Width x Length (inches)	2.48 x 17.11 x 18.56	2.48 x 17.11 x 18.56
Height x Width x Length (mm)	63 x 435 x 471.3	63 x 435 x 471.3
Weight	21.48 lbs (9.75 kg)	25.88 lbs (11.75 kg)
Power Consumption (Average / Maximum)	560 W / 587 W	588 W / 620 W
Current (Maximum)	5.0A	5.3A
Heat Dissipation (Average)	2036 BTU/h	2149 BTU/h
Operating Temperature	-22°C to 104°F (-5°C to 40°C)	-22°C to 104°F (-5°C to 40°C)
Storage Temperature	-37°F to 149°F (-35°C to 40°C)	-37°F to 149°F (-35°C to 40°C)
Humidity	10% to 90% non-condensing	10% to 90% non-condensing
Compliance		
Certifications	FCC, ICES, CE, RoHS, VCCI, MIKE, UL/ETL, CH	

¹ Ports 19 and 20 can be configured as split ports.


² Ports 1-8 can be configured as split ports.

³ Ports 1-8 can be configured as split ports.



Hardware

Fortinet Processor Module FPM-7620F




Specifications

FPM-7620F	
Hardware Interfaces	
Hardware Accelerated 10G GE QSFP28 / 40 GE QSFP+ Slots	2
Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ Slots	8
Ethernet Management Ports	1
Console Ports	1
System Performance and Capacity	
IPv4 Firewall Throughput (551K / 512 / 64 byte, UDP packets)	300 / 225 / 213 Gbps
IPv6 Firewall Throughput (551K / 512 / 64 byte, UDP packets)	200 / 135 / 123 Gbps
Firewall Latency (64 byte, UDP)	250 µs
Firewall Throughput (Packet per Second)	30-200 Mbps
Concurrent Sessions (TCP)	110 Million
New Sessions/Sec (TCP)	900K
Firewall Policies	200,000 (system wide)
SSL VPN Throughput (512 byte) *	63 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	4,000
Client-to-Gateway IPsec VPN Tunnels	26,000
SSL-VPN Throughput *	13.7 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	30,000
IPS Throughput (Enterprise Mod) *	6.25 Gbps
SSL Inspection Throughput *	54 Gbps
SSL Inspection QoS (P1, avg. MTTPS) *	48,000
SSL Inspection Concurrent Session (P1, avg. HTTPS) *	10 Million
Application Control Throughput *	100 Gbps
NGFW Throughput *	50 Gbps

Note: All performance values are "typical" and vary depending on system configuration.

1. IPsec VPN performance test uses #ES2048-HA256.
2. IPS (Enterprise Mod), Application Control, NGFW and Threat Protection are measured with logging enabled.
3. SSL inspection performance values use an average of 100 HTTPS sessions of different cipher suites.

Hardware Features



FPM-7620F	
Threat Protection Throughput *	5.7 Gbps
CAPWAP* Throughput	N/A
Virtual Domains (Default / Maximum)	10 / 100
Maximum Number of FortiTokens	2,000
Maximum Number of FortiSwitches Supported	300
Maximum Number of FortiAPs (Total / Tunnel Mode)	N/A
High Availability Configurations	Active-Passive, Active-Active
Dimensions and Power	
Height x Width x Length (inches)	1.62 x 1.21 x 10.35
Height x Width x Length (mm)	41 x 31 x 265
Weight	16.01 lbs. (7.25 kg)
Power Consumption (Average / Maximum)	6.75 W / 16.7 W
Current (Maximum)	60A
Heat Dissipation Dissipated	244.7 BTU/Hr
Operating Temperature	22°C to 35°C (0°C to 40°C)
Storage Temperature	-10°C to 50°C (-22°C to 122°F)
Humidity	20% to 90% (no condensing)
Compliance	
Certifications	HOT, ICRA, CE, FCC, VCCI, ICAR, UL, ETL, CH

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control, TCP Filtering and Malware Protection with conditioning enabled.
6. Measured with VPN load balancing.
7. Measured on single IPML only.



Ordering Information

PRODUCT	SKU	DESCRIPTION
Hardware Model		
FortiGate 7081F	FG-7081F	FGV 8-slot chassis starting with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU (2500WAC).
FortiGate 7081F-DC	FG-7081F-DC	FGV 8-slot chassis starting with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU (2500WDC).
FortiGate 7081F-Z	FG-7081F-Z	FGV 8-slot chassis starting with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU (2500WDC).
FortiGate 7081F-Z-DC	FG-7081F-Z-DC	FGV 8-slot chassis starting with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU (2500WDC).
FortiGate 7121F [†]	FG-7121F	FGV 12-slot chassis with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU.
FortiGate 7121F-Z	FG-7121F-Z	FGV 12-slot chassis with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU.
FortiGate 7121F-DC	FG-7121F-DC	FGV 12-slot chassis with 2x FPM-7020 Processor Modules, 2x FIM-7020 I/O Modules, 2x Management Modules and the hot-swappable redundant PSU (2500W DC-DC (without DC combiner)).
OPTIONAL / SPARE ITEMS	SKU	DESCRIPTION
Processor Module		
FPM-7020F Module	FGM-7020F	Hot-swappable processing module for 7000F series - FortiASIC NP7 hardware accelerated, 2x QSFP28 and 8x SFP28 ports.
I/O Module		
FIM-7020F Module ^{†*}	FGM-7020F	Hot-swappable I/O module for 7000F series - FortiASIC NP7 hardware accelerated, 2x GE RJ45 Management ports, 2x QSFP28 ports, 2x SFP28 ports, 2x 4TB local log storage.
FIM-7041F Module ^{†*}	FGM-7041F	Hot-swappable I/O module for 7000F series - FortiASIC NP7 hardware accelerated, 2x GE RJ45 Management ports, 2x QSFP28 ports, 2x SFP28 ports, 2x SFP28 ports, 2x 4TB local log storage.
Accessories		
FortiGate 7121F Fan Module	FG-7121F-FAN	FG-7121F Fan module.
FortiGate 7121F Power Supply	FG-7121F-PS-250W	FG-7121F power supply 250W AC.
FortiGate 7121F-AC-Chassis	FG-7121F-CH	FG-7121F chassis with 2x system management module, 1x FMS and 2x FIM modules.
FortiGate 7121F-DC-Chassis	FG-7121F-DC-CH	FG-7121F chassis with 2x system management module, 1x FMS and 2x FIM modules, 1x DC input cable.
FG-7121F-DC-Combiner	FG-7121F-DC-COMBIHAR	1U rack height chassis containing 1x DC converter module to support A+M input redundancy for FG-7121F-DC.
FortiGate 7081F Chassis	FG-7081F-CH	FG-7081F chassis with 2x system management module, 2x 2500WAC PSU and 2x FG-7081F-FAN module.
Fortigate-7000F 2500W DC Power Supply	FGWPS-7000F	Fortigate-7000F 2500W DC Power supply.
Fortigate-7000F 2500W AC Power Supply	FGWPS-7000F	Fortigate-7000F 2500W AC Power supply.
Fortigate 7081F Fan Module	FG-7081F-FAN	FG-7081F fan module.



Ordering Information

PRODUCT	SKU	DESCRIPTION
Transceivers		
1 GE SFP RJ45 Transceiver Module	FN-FW01-OC	1Gb SFP RJ45 transceiver module for all systems with SFP and SFP+ ports.
1 GE SFP SX Transceiver Module	FN-FWAN-SX	1Gb SFP SX transceiver module for all systems with SFP and SFP+ ports.
1 GE SFP LX Transceiver Module	FN-FWAN-LX	1Gb SFP LX transceiver module for all systems with SFP and SFP+ ports.
10 GE copper SFP+ RJ45 Transceiver Module: 10km range	FN-FWAN-SFP+OC	10Gb copper SFP+ RJ45 transceiver (10km range) for systems with SFP+ ports.
10 GE SFP+ Transceiver Module, short range	FN-FWAN-SFP+SR	10Gb SFP+ transceiver module, short range for all systems with SFP+ and SFP+ ports.
10 GE SFP+ Transceiver Module, long range	FN-FWAN-SFP+LR	10Gb SFP+ transceiver module, long range for all systems with SFP+ and SFP+ ports.
10 GBase-T SFP+ Transceiver Module	FN-FWAN-SFP+BT	10Gb GBase-T SFP+ transceivers for FortiSwitch and FortiGate, 100m, Single Mode, 40km range for systems with SFP+ ports.
25 GE SFP28 Transceiver Module, short range	FN-FWAN-SFP28-SR	25Gb SFP28 transceiver module, short range for all systems with SFP28/SFP+ ports.
25 GE SFP28 Transceiver Module, long range	FN-FWAN-SFP28-LR	25Gb SFP28 transceiver module, long range for all systems with SFP28 ports.
40 GE QSFP+ Transceiver Module, short range	FN-FWAN-QSFP+SR	40Gb QSFP+ transceiver, short range for all systems with QSFP+ ports.
40 GE QSFP+ Transceiver Module, long range	FN-FWAN-QSFP+LR	40Gb QSFP+ transceiver, long range for all systems with QSFP+ ports.
40 GE QSFP+ Transceiver Module, Short Range SFP	FN-FWAN-QSFP+SR-FD	40Gb QSFP+ transceiver module, short range SFP for all systems with QSFP+ ports.
100 GE QSFP28 Transceiver Module	FN-FWAN-QSFP28-100	100Gb QSFP28 transceiver, 4 channel parallel fiber, short range for all systems with QSFP28 ports.
100 GE QSFP28 Transceiver Module, long range	FN-FWAN-QSFP28-LR	100Gb QSFP28 transceiver, 4 channel parallel fiber, long range for all systems with QSFP28 ports.
100 GE QSFP28 Transceiver Module	FN-FWAN-QSFP28-CW0344	100Gb QSFP28 transceiver, 10Gb connection, 20km for all systems with QSFP28 ports.
100 GE QSFP28 100G Transceiver Module	FN-FWAN-QSFP28-100G	100Gb 10Gb connection 100Gb transceiver module, short range, for systems with QSFP28 ports.
100 GE QSFP28 Transceiver Module, 20km Range	FN-FWAN-QSFP28-20G	100Gb QSFP28 transceiver module, 20km range, 10Gb, for systems with QSFP28 ports.
100 GE QSFP28 Transceiver Module, 100km Range	FN-FWAN-QSFP28-100G	100Gb QSFP28 transceiver module, 100km range, 10Gb, for systems with QSFP28 ports.
200 GE QSFPDE Transceiver Module, 2km Range	FN-FWAN-QSFP28-FD	200Gb QSFP28 transceiver module, 2km range, 10Gb, for systems with QSFP28 ports.
200 GE QSFPDE Transceiver Module, 100km Range	FN-FWAN-QSFP28-GS	200Gb QSFP28 transceiver module, 100km range, 10Gb, for systems with QSFP28 ports.
400 GE QSFP-DD Transceiver Module, 10km range	FN-FWAN-QSFP-DD-FN	400Gb QSFP-DD transceiver module, 10km range, 10Gb, for systems with QSFP-DD ports.
400 GE QSFP-DD Transceiver Module, 2km range	FN-FWAN-QSFP-DD-FH	400Gb QSFP-DD transceiver module, 2km range, 10Gb, for systems with QSFP-DD ports.
400 GE QSFP-DD Transceiver Module, 4 channel parallel fiber	FN-FWAN-QSFP-DD-FB	400Gb QSFP-DD transceiver module, 4 channel parallel fiber, short range, for systems with QSFP-DD ports.
400 GE QSFP-DD Transceiver Module, 8 channel parallel fiber	FN-FWAN-QSFP-DD-FB8	400Gb QSFP-DD transceiver module, 8 channel parallel fiber, short range, for systems with QSFP-DD ports.
400 GE QSFP-DD Transceiver Module, 4 Channel Parallel Fiber, 2km Range	FN-FWAN-QSFP-DD-FB	400Gb QSFP-DD transceiver module, 4 channel parallel fiber, 2km range, for systems with QSFP-DD ports.
Cables		
40 GE QSFP+ Passive Direct Attach Cable	FN-CABLE-QSFP+-OC	40Gb QSFP+ Passive Direct Attach Cable, 5m for systems with QSFP+ ports.
100 GE QSFP28 Passive Direct Attach Cable, 1m Range	FN-CABLE-QSFP28-1	100Gb QSFP28 passive direct attach cable, 1m range, for systems with QSFP28 ports.
400 GE QSFP-DD Passive Direct Attach Cable, 1m	FN-CABLE-QSFP-DD-OC-01	400Gb QSFP-DD passive Direct Attach Cable, 1m, for systems with QSFP-DD ports.
400 GE QSFP-DD Passive Direct Attach Cable, 2.5m	FN-CABLE-QSFP-DD-OC-02	400Gb QSFP-DD passive Direct Attach Cable, 2.5m, for systems with QSFP-DD ports.
400 GE QSFP-DD Active Optical Cable, 3m Range	FN-CABLE-QSFP-DD-OC-E3	400Gb QSFP-DD Active Optical Cable, 3m range, for systems with QSFP-DD ports.

* FCoE (QoS) and FCo-FCoE have chassis based pricing. Individual and bundled FortiGuard security services and FortiCare support subscription services such as Threat Protection Bundles, UTM bundles, Enterprise bundles, and FortiCare360 are on a chassis based pricing. Licenses such as VOOM and Endpoint Compliance are also included in the chassis based pricing.

** Each FIM is selected individually and comes with 2x 10Gb SFP+ SR transceivers at no charge.

NOTE: All optional/bundled components are for replacement usage and must not be used in assembling a bundle as only bundles have the necessary subscriptions.



Subscriptions

Service Category	Service Offering	A-la-carte	Bundles		
			Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
FortiGuard Security Services	IPS—IPs, Malicious/Botnet URLs	-	-	-	-
	Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Decomm and Reconstruct*, AI-based Heuristic AV, FortiGate Cloud Sandbox	-	-	-	-
	URL, DNS and Video Filtering—URL, DNS and Video * Filtering, Malicious Certificate	-	-	-	-
	Anti-Spam	-	-	-	-
	AI-Based Inline Malware Prevention ¹	-	-	-	-
	Data Loss Prevention (DLP) ²	-	-	-	-
	Attack Surface Security—IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check	-	-	-	-
	OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS ³	-	-	-	-
	Application Control	Included with FortiCare Subscription			
	Isolate CPE ⁴	Included with FortiCare Subscription			
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring	-			
	SD-WAN Overlay-as-a-Service	-			
	SD-WAN Connector for FortiSASE Secure Private Access	-			
	SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth)	-			
NOC and SOC Services	FortiConverter Service for one-time configuration conversion	-			
	Managed FortiGate Service—available 24x7, with Fortinet NOC experts performing device setup, network, and policy change management	-			
	FortiGate Cloud—Management, Analysis, and One Year Log Retention	-			
	FortiManager Cloud	-			
	FortiAnalyzer Cloud	-			
	FortiGuard SOCloud—24x7 cloud-based managed log monitoring, incident triage, and SOC escalation service	-			
Hardware and Software Support	FortiCare Essentials ⁵	-			
	FortiCare Premium	-	-	-	-
	FortiCare Elite	-			
Base Services	Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing	Included with FortiCare Subscription			

¹ Full features available when running FortiOS 7.4.1.


² Available Modules only.

³ Not available for FortiGate/FortiWAN-40F, 80F, 90F, 100F, and 100 series from 7.4.4 onwards.



FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.




FortiCare Services

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the [Fortinet Whistleblower Policy](#).



FORTINET

www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Support, Support_Additional_Accessories, and Support_Whistleblow are registered trademarks of Fortinet, Inc., and other trademarks are registered trademarks or trademarks of Fortinet, Inc. All other products or services may contain trademarks or registered trademarks of their respective owners. Performance and other metrics measured here were collected at www.fortinet.com/fortinet-performance, and overall performance across other products may vary. Resource utilization, different network environments, and other conditions may affect performance results. Nothing herein represents any testing conducted by Fortinet, and Fortinet makes no warranties or guarantees that the results presented are typical or accurate. Fortinet makes no representations regarding the specific performance of any product or service, nor the specific performance of any product or service provided to each client, or whether a particular customer will find testing or performance of a product or service satisfactory. For detailed testing, or to test a product or service, refer to the product's user manual or the published test results. Test results displayed on Fortinet websites or in Fortinet's annual reports, financial documents or SEC filings, press releases, and press conferences are subject to change, modify, or withdraw under the applicable terms and conditions or the publication date for applicable.