

# 

# FortiGate 90G Series

FG-90G and FG-91G



### Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and SD-WAN.

Security-Driven Networking with FortiOS delivers converged networking and security.

**Unparalleled Performance** with Fortinet's patented SoC processors.

### **Enterprise Security**

with consolidated AI / ML-powered FortiGuard Services.

Simplified Operations with centralized management for networking and security, automation, deep analytics, and self-healing.

# **Converged Next-Generation Firewall (NGFW) and SD-WAN**

The FortiGate Next-Generation Firewall 90G series is ideal for building security-driven networks at distributed enterprise sites and transforming WAN architecture at any scale.

With a rich set of AI/ML-based FortiGuard security services and our integrated Security Fabric platform, the FortiGate 90G series delivers coordinated, automated, end-to-end threat protection across all use cases.

FortiGate has the industry's first integrated SD-WAN and zero-trust network access (ZTNA) enforcement within an NGFW solution and is powered by one OS. FortiGate 90G automatically controls, verifies, and facilitates user access to applications, delivering consistency with a seamless and optimized user experience.

IPS	NGFW	Threat Protection	Interfaces
4.5 Gbps	2.5 Gbps	2.2 Gbps	Multiple GE RJ45, 10 GE RJ45, and SFP+ Share Media Slots   Variants with internal storage



Available in



Appliance



Virtual





Cloud



Container

# **FortiOS Everywhere**

### FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into organically built best-of-breed capabilities, unified operating system, and ultra-scalability. The solution allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/MLpowered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more. It provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of a simplified, single policy and management framework. Its security policies enable centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities

Visibility with FOS Application Signatures

### FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



# **FortiGuard Services**

### **Network and File Security**

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multilayered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

### Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

### SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

### **Zero-Day Threat Prevention**

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

### **OT Security**

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



# Secure Any Edge at Any Scale

### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

### ASIC Advantage



### Secure SD-WAN ASIC SP5

- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user experience on direct internet access
- Enables best of breed NGFW Security and Deep SSL Inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity

1		
-	_	_
Ξ	_	_
=		
-	-	



Intuitive view and clear insights into network security posture with FortiManager

### Centralized Network and Security Management at Scale

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.

## **Use Cases**

### Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of AI-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection




### Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing




### Universal ZTNA


- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD



# Hardware

### FortiGate 90G/91G





### Hardware Features



### Interfaces

- 1x RJ45 Console and 1x USB Management Port
- 2. 2× 10/5/2.5/ GE RJ45 or 10GE/GE SFP+/SFP Shared Media Ports
- 3. 8x GE RJ45 Ports

### **Compact and Reliable Form Factor**

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight, yet highly reliable with a superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

### Trusted Platform Module (TPM)

The FortiGate 90G Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

# **Specifications**

Hardware Specifications10/5/2.5/GE RJ45 or 10CE/GE SFP+/22GE RJ45 Internal Ports8GE RJ45 Internal Ports111Console (RJ45)1Internal Storage-Trusted Platform Module (TPM)YesYesYesBluetooth Low Energy (BLE)YesSystem Performance* — Enterprise Traffic MixTrest Protection Throughput <sup>2,4</sup> 2.5 GbpsNGFW Throughput <sup>2,4</sup> 2.5 GbpsSystem Performance and CapacityFirewall Throughput (At byte UDP packets)3.23 µsFirewall Throughput (S12 byte)3.23 µsFirewall Throughput (S12 byte)3.00Concurrent Sessions (TCP)3 MNew Sessions/Second (TCP)3.00Stat-VPN Throughput 42.6 GbpsCitent-Gateway IPsec VPN2.00Citent-Gateway IPsec VPN2.00Stat-VPN Throughput 41.4 GbpsConcurrent Sessions (TCP)3.00Stat-VPN Throughput 41.4 GbpsCitent-Gateway IPsec VPN2.00Stat-VPN Throughput 41.4 GbpsCitent-Gateway IPsec VPN3.00000Stat-Npection CPS (IPS, avg. HTTPS) <sup>3</sup> 1.400Stat-Npection CP		FORTIGATE 90G	FORTIGATE 91G		
SFP Shared Media pairs         2         4           GE RJ45 Internal Ports         8         8           Wireless Interface         -         -           USB Ports         1         1           Console (RJ45)         1         1           Internal Storage         -         1 × 120 GB SSD           Trusted Platform Module (TPM)         Yes         Yes           Bluetooth Low Energy (BLE)         Yes         Yes           System Performance* Enterprise Traffic Mix         2.5 Gbps           IPS Throughput <sup>2.4</sup> 2.5 Gbps           Threat Protection Throughput <sup>2.4</sup> 2.8 / 28 / 27.9 Gbps           Firewall Throughput for UDP packets)         3.23 µs           Firewall Throughput (FDP packets)         3.23 µs           Firewall Throughput (FDP)         3.M           Vessions/Second (TCP)         3 M           New Sessions/Second (TCP)         3 M           New Sessions/Second (TCP)         200           Thread Plate and Maximum, Tunnel         200           SSL Inspection Throughput (512 byte) 1         2.6 Gbps           Getway-to-Gateway IPsec VPN Tunnels         2.00           SSL Inspection Concurrent Session         300 000           (IPs, a.g., HTTS) a         1400 <th>Hardware Specifications</th> <th></th> <th></th>	Hardware Specifications				
Wireless Interface-USB Ports11Console (RJ45)11Internal Storage-1 × 120 GB SSDTrusted Platform Module (TPM)YesYesBluetooth Low Energy (BLE)YesYesSystem Performance* Enterprise Traffic MixIIIPS Throughput 24.5 GbpsSNGFW Throughput 2.42.5 GbpsISystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput UDP packets)3.23 µsFirewall Throughput (64 byte UDP packets)3.23 µsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Policies5000Firewall Policies5000Start Scoon200Concurrent Sessions (TCP)3 MNew Sessions/Second (TCP)200Start SL-VPN Turoughput (512 byte) 12.5 GbpsClent-to-Gateway IPsec VPN200Start SL-VPN Users (Recommended Maximum, Tunnel2.00SSL Inspection Throughput Mode)2.6 GbpsSSL Inspection Throughput (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000SLS Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000CAPWAP Throughput (HTTP 64K) SUrual Domains (Default / Maximum)10 / 10Maximum Number of FortiNswitches Supported24		2	2		
USB Ports11Console (RJ45)11Internal Storage-1 × 120 GB SSDTrusted Platform Module (TPM)YesYesBluetooth Low Energy (BLE)YesYesSystem Performance* — Enterprise Traffic MixIIPS Throughput 24.5 GbpsNGFW Throughput 2.42.5 GbpsSystem Performance and CapacityIFirewall Throughput (42 by EUDP packets)3.23 µsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (1512 byte) 128 / 28 / 27.9 GbpsFirewall Latency (64 byte UDP packets)3.00 NOPrese VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200Firewall Policies5000IPsec VPN Throughput 612 byte) 125 GbpsGateway-to-Gateway IPsec VPN Tunnels2500SSL Inspection Throughput 612.6 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session300 000(IPS, avg. HTTPS) 42.8 GbpsCAPWAP Throughput (HTTP 64K) 22.8 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSWitches24Maximum Number of FortiSWitches24	GE RJ45 Internal Ports	8	8		
Console (RJ45)11Internal Storage-1 × 120 GB SSDTrusted Platform Module (TPM)YesYesBluetooth Low Energy (BLE)YesYesSystem Performance* — Enterprise Traffic MixImage: Comparison of Comp	Wireless Interface	-	-		
Internal Storage-1 × 120 GB SSDTrusted Platform Module (TPM)YesYesBluetooth Low Energy (BLE)YesYesSystem Performance* — Enterprise Traffic MixIPS Throughput 24.5 GbpsIPS Throughput 2.42.5 GbpsComparingSystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput (1512 / 64 byte UDP packets)3.23 µsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (1CP)3 MNew Sessions/Second (TCP)3 MNew Sessions/Second (TCP)200Firewall Policies5000SSL UNSPECTOR Structure2500SSL-VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200SSL Inspection Throughput (91.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)300 000SSL Inspection Concurrent Session300 000C	USB Ports	1	1		
Trusted Platform Module (TPM)YesYesBluetooth Low Energy (BLE)YesYesBluetooth Low Energy (BLE)YesYesSystem Performance* — Enterprise Traffic MixIPS Throughput 24.5 GbpsIPS Throughput 2.42.5 GbpsIPSNGFW Throughput 2.42.5 GbpsIPSSystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput28 / 28 / 27.9 GbpsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200SL-VPN Throughput °1.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection Throughput (IPS, avg. HTTPS) °1400SSL Inspection Concurrent Session (IPS, avg. HTTPS) °300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) °300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) °300 000Application Control Throughput (HTTP 64K)23.6 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs96 / 48	Console (RJ45)	1	1		
Bluetooth Low Energy (BLE)YesYesSystem Performance* – Enterprise Traffic MixIPS Throughput 2IPS Throughput 2A.5 GbpsNGFW Throughput 2.42.5 GbpsThreat Protection Throughput 2.5System Performance and CapacityFirewall ThroughputFirewall Throughput(1518 / 512 / 64 byte UDP packets)3.23 µsFirewall Throughput(158 / 512 / 64 byte UDP packets)3.23 µsFirewall Throughput(158 / 512 / 64 byte UDP packets)3.33 µsFirewall Throughput(185 Mpps)Concurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Psec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200SL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Psc org. and Maximum, Tunnel Mode)SSL Inspection ChroughputSSL Inspection Concurrent Session300 000SSL Inspection Concurrent Session (Ps, avg. HTTPS) 31400SSL Inspection Concurrent Session (Ps, avg. HTTPS) 3Application Control Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs96 / 48	Internal Storage	-	1 × 120 GB SSD		
System Performance* — Enterprise Traffic MixIPS Throughput 24.5 GbpsNGFW Throughput 2.42.5 GbpsThreat Protection Throughput 2.52.2 GbpsSystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput (1518 / 512 / 64 byte UDP packets)3.23 µsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (Packets)3.23 µsFirewall Throughput (Packets)3.23 µsFirewall Throughput (Packets)3.23 µsFirewall Policies5000Concurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Gateway-to-Gateway IPsec VPN200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 41.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000Application Concurrent Session (IPS, avg. HTTPS) 33.00 000Application Concurrent Session (IPS, avg. HTTPS) 32.6 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs24Maximum Number of FortiAPs96 / 48	Trusted Platform Module (TPM)	Yes	Yes		
IPS Throughput 24.5 GbpsNGFW Throughput 2.42.5 GbpsThreat Protection Throughput 2.52.2 GbpsSystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput (1512 64 byte UDP packets)28 / 28 / 27.9 GbpsFirewall Throughput (G4 byte UDP packets)3.23 µsFirewall Throughput (G4 byte UDP packets)3.23 µsFirewall Throughput (G4 byte UDP packets)3.03 µsFirewall Throughput (G4 byte UDP packets)3.00 µsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput °1.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000GPS, avg. HTTPS) 36.7 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiAPs96 / 48	Bluetooth Low Energy (BLE)	Yes	Yes		
NGFW Throughput 2.42.5 GbpsThreat Protection Throughput 2.52.2 GbpsSystem Performance and Capacity28 / 28 / 27.9 GbpsFirewall Throughput (54 byte UDP packets)3.23 μsFirewall Latency (64 byte UDP packets)3.23 μsFirewall Throughput (Packets)3.23 μsFirewall Throughput (Packets)3.00 μsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Besc VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200Concurrent SSL-VPN Throughput °1.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Throughput (ITPS) 31400SSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection CPS (IPS, avg. HTTPS) 3100Application Concurrent Session (IPS, avg. HTTPS) 32.6 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs24Maximum Number of FortiAPs24	${\tt System Performance}^* - {\tt Enterprise Traffic N}$	vix			
Threat Protection Throughput <sup>2,5</sup> 2.2 GbpsSystem Performance and CapacityFirewall Throughput (1518 / 512 / 64 byte UDP packets)28 / 28 / 28 / 27.9 GbpsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (Packets Per Second)41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Psec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN unnels200Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection CPS (IPS, avg. HTTPS) 3300 000Application Concurrent Session (IPS, avg. HTTPS) 3300 000CAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24	IPS Throughput <sup>2</sup>	4.5	Gbps		
System Performance and CapacityFirewall Throughput (1518 / 512 / 64 byte UDP packets)28 / 28 / 27.9 GbpsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (Packets Per Second)41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN unnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput °1.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection CPS (IPS, avg. HTTPS) 3300 000Application Concurrent Session (IPS, avg. HTTPS) 3300 000Application Control Throughput (IHTTP 64K) 23.6 Gbps6.7 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiSwitches Supported24	NGFW Throughput <sup>2, 4</sup>	2.5	Gbps		
Firewall Throughput (1518 / 512 / 64 byte UDP packets)28 / 28 / 27.9 GbpsFirewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (Packets Per Second)41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN tunnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection Throughput (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000Application Control Throughput (ITTP 64K) 23.6 GbpsCAPWAP Throughput (ITTP 64K)23.6 GbpsVirtual Domains (Default / Maximum) Supported10 / 10Maximum Number of FortiSwitches Supported24	Threat Protection Throughput <sup>2,5</sup>	2.2	Gbps		
(1518 / 512 / 64 byte UDP packets)Firewall Latency (64 byte UDP packets)3.23 µsFirewall Throughput (Packets Per Second)41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Firewall Policies5000Psec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN Tunnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Throughput (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000Application Concurrent Session (PSC, 23.6 Gbps3.7 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiSwitches Supported24	System Performance and Capacity				
Firewall Throughput (Packets Per Second)41.85 MppsConcurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000Psec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN Tunnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Throughput (IPS, avg. HTTPS) 3300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000SSL Inspection Concurrent Session (HTTP 64K) 22.6 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiSwitches Supported96 / 48		28 / 28 /	/ 27.9 Gbps		
(Packets Per Second)Concurrent Sessions (TCP)3 MNew Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection Throughput (IPS, avg. HTTPS) 32.6 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 33.7 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum) up 10 / 1010 / 10Maximum Number of FortiSwitches upported24	Firewall Latency (64 byte UDP packets)	3.2	3.23 µs		
New Sessions/Second (TCP)124 000Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN Tunnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Throughput (IPS, avg. HTTPS) 31400SSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (HTTP 64K) 2300 000CAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24	Firewall Throughput (Packets Per Second)	41.85 Mpps			
Firewall Policies5000IPsec VPN Throughput (512 byte) 125 GbpsGateway-to-Gateway IPsec VPN200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)2.6 GbpsSSL Inspection Throughput (IPS, avg. HTTPS) 32.6 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session 	Concurrent Sessions (TCP)	3 M			
IPsec VPN Throughput (512 byte) 1       25 Gbps         Gateway-to-Gateway IPsec VPN       200         Client-to-Gateway IPsec VPN Tunnels       2500         SSL-VPN Throughput °       1.4 Gbps         Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)       200         SSL Inspection Throughput (IPS, avg. HTTPS) 3       2.6 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) 3       1400         SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3       300 000         SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3       6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches       24         Maximum Number of FortiSwitches       96 / 48	New Sessions/Second (TCP)	124 000			
Gateway-to-Gateway IPsec VPN Tunnels200Client-to-Gateway IPsec VPN Tunnels2500SSL-VPN Throughput <sup>6</sup> 1.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup> 2.6 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> 300 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> 300 000CAPWAP Throughput (HTTP 64K) 23.6 Gbps6.7 GbpsVirtual Domains (Default / Maximum) Supported10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiAPs96 / 48	Firewall Policies	5000			
Tunnels       2500         Client-to-Gateway IPsec VPN Tunnels       2500         SSL-VPN Throughput °       1.4 Gbps         Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)       200         SSL Inspection Throughput (IPS, avg. HTTPS) ³       2.6 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) ³       1400         SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³       300 000         Application Concurrent Session (HTTP 64K) ²       6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches Supported       24	IPsec VPN Throughput (512 byte) <sup>1</sup>	25 Gbps			
SSL-VPN Throughput 61.4 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)200SSL Inspection Throughput (IPS, avg. HTTPS) 32.6 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 31400SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3300 000Application Control Throughput (HTTP 64K) 26.7 GbpsCAPWAP Throughput (HTTP 64K)23.6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported24Maximum Number of FortiAPs96 / 48					
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)       200         SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup> 2.6 Gbps         SSL Inspection COPS (IPS, avg. HTTPS) <sup>3</sup> 1400         SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> 300 000         Application Control Throughput (HTTP 64K) <sup>2</sup> 6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches Supported       24         Maximum Number of FortiAPs       96 / 48	Client-to-Gateway IPsec VPN Tunnels	2	500		
(Recommended Maximum, Tunnel Mode)         SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup> 2.6 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 1400         SSL Inspection COPS (IPS, avg. HTTPS) <sup>3</sup> 300 000         (IPS, avg. HTTPS) <sup>3</sup> 300 000         Application Concurrent Session (HTTP 64K) <sup>2</sup> 6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches Supported       24         Maximum Number of FortiAPs       96 / 48	SSL-VPN Throughput <sup>6</sup>	1.4	Gbps		
(IPS, avg. HTTPS) <sup>3</sup> 1400         SSL Inspection CopS (IPS, avg. HTTPS) <sup>3</sup> 1400         SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> 300 000         Application Control Throughput (HTTP 64K) <sup>2</sup> 6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches supported       24	(Recommended Maximum, Tunnel	2	200		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> 300 000         Application Control Throughput (HTTP 64K) <sup>2</sup> 6.7 Gbps         CAPWAP Throughput (HTTP 64K)       23.6 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches supported       24         Maximum Number of FortiAPs       96 / 48		2.6	Gbps		
(IPS, avg. HTTPS) <sup>3</sup> Application Control Throughput (HTTP 64K) <sup>2</sup> CAPWAP Throughput (HTTP 64K)         23.6 Gbps         Virtual Domains (Default / Maximum)         10 / 10         Maximum Number of FortiSwitches supported         96 / 48	SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>	1	1400		
(HTTP 64K) <sup>2</sup> CAPWAP Throughput (HTTP 64K)     23.6 Gbps       Virtual Domains (Default / Maximum)     10 / 10       Maximum Number of FortiSwitches supported     24       Maximum Number of FortiAPs     96 / 48		300 000			
Virtual Domains (Default / Maximum)     10 / 10       Maximum Number of FortiSwitches     24       Supported     96 / 48	pplication Control Throughput 6.7 Gbps				
Maximum Number of FortiSwitches     24       Supported     24       Maximum Number of FortiAPs     96 / 48	CAPWAP Throughput (HTTP 64K)	23.6	23.6 Gbps		
Supported Maximum Number of FortiAPs 96 / 48	Virtual Domains (Default / Maximum)	10 / 10			
		24			
Maximum Number of FortiTokens 500	Maximum Number of FortiTokens	Ļ	500		
High Availability Configurations Active-Active, Active-Passive, Clustering	High Availability Configurations	Active-Active, Activ	ve-Passive, Clustering		

	FORTIGATE 90G	FORTIGATE 91G		
Dimensions				
Height x Width x Length (inches)	1.65 × 8	3.5 × 7.0		
Height x Width x Length (mm)	42 × 21	6 × 178		
Weight	2.47 lbs	(1.12 kg)		
Form Factor	Des	ktop		
Operating Environment and Certifications	6			
Input Rating	12V DC, 3A (dual re	dundancy optional)		
Power Required (Redundancy Optional)	Powered by up to 2 Adapters (1 adapter ind 50/6			
Power Supply Efficiency Rating	80Plus C	ompliant		
Power Required (Redundancy Optional)	Powered by up to 2 External DC Power Adapters (1 adapter included), 100–240V AC, 50/60 Hz			
Maximum Current	115Vac/0.4A, 230Vac/0.2A			
Power Consumption (Average / Maximum)	19.9 W / 20.53 W	22.4 W / 23.5 W		
Heat Dissipation	70.0 BTU/hr	80.1 BTU/hr		
Operating Temperature	32°F to 104°F (0°C to 40°C)			
Storage Temperature	-31°F to 158°F	(-35°C to 70°C)		
Humidity	10% to 90% non-condensing			
Noise Level	21.73 dBA			
Operating Altitude	Up to 10 000 ft (3048 m)			
Compliance	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB			
Certifications	USGv	6/IPv6		

Note: All performance values are "up to" and vary depending on system configuration.

<sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\scriptscriptstyle 3}$  SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

**Data Sheet** 

<sup>4</sup> NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

<sup>6</sup> Uses RSA-2048 certificate.

# **Subscriptions**

				Bundles		
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
FortiGuard Security Services	IPS — IPS, Malicious/Botnet URLs	•	•	•	•	
	Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct <sup>3</sup> , Al-based Heurestic AV, FortiGate Cloud Sandbox	•	٠	•	•	
	URL, DNS and Video Filtering — URL, DNS and Video <sup>3</sup> Filtering, Malicious Certificate	•	•	•		
	Anti-Spam		•	•		
	Al-based Inline Malware Prevention <sup>3</sup>	•	•			
	Data Loss Prevention (DLP) 1	•	•			
	Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check	٠	•			
	OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS <sup>1</sup>	•				
	Application Control		included with FortiCare Subscription			
	Inline CASB <sup>3</sup>		included with For	rtiCare Subscription		
SD-WAN and SASE	SD-WAN Underlay Bandwidth and Quality Monitoring	•				
Services	SD-WAN Overlay-as-a-Service	•				
	SD-WAN Connector for FortiSASE Secure Private Access	•				
	SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth) $^{\rm 2}$	•				
NOC and SOC Services	FortiConverter Service for one time configuration conversion	•	•			
	Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management	•				
	FortiGate Cloud—Management, Analysis, and One Year Log Retention	•				
	FortiManager Cloud	•				
	FortiAnalyzer Cloud	•				
	FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service	•				
Hardware and Software Support	FortiCare Essentials <sup>2</sup>	•				
	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing		included with For	rtiCare Subscription		

1. Full features available when running FortiOS 7.4.1.

2. Desktop Models only.

3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards.



### **FortiGuard Bundles**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.



### **FortiCare Services**


Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.

# **Ordering Information**

Product	SKU	Description
FortiGate 90G	FG-90G	8x GE RJ45 ports, 2× 10GE RJ45/SFP+ shared media WAN ports.
FortiGate 91G	FG-91G	8x GE RJ45 ports, 2× 10GE RJ45/SFP+ shared media WAN ports with 120GB SSD.
Optional Accessories		
AC Power Adaptor	SP-FG60E-PDC-5	Pack of 5 AC power adaptors for FG/FWF 60E/61E, FG/FWF 60F/61F, FG-80E/81E, FG-80F/81F, and FG-90G/91G.
Wall Mount Kit	SP-FG60F-MOUNT-20	Pack of 20 wall mount kits for FG/FWF-60F, FG-90G/91G and FG/FWF-80F series.
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for all FortiGate E, F, and G series desktop models.
Mounting Ear Bracket	SP-EAR-FG90G-10	Mounting Ear brackets for FG-90/91G 10 pairs pack.
Transceivers		
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately).
10 GE SFP+ Transceiver Module, (connects to FN-TRAN-SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10 GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately).
Cables		
10 GE SFP+ Passive Direct Attach Cable, 1m	FN-CABLE-SFP+1	10 GE SFP+ passive direct attach cable, 1m for systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Passive Direct Attach Cable, 3m	FN-CABLE-SFP+3	10 GE SFP+ passive direct attach cable, 3m for systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Passive Direct Attach Cable, 5m	FN-CABLE-SFP+5	10 GE SFP+ passive direct attach cable, 5m for systems with SFP+ and SFP/SFP+ slots.

### Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



# F: RTINET.

www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet\*, FortiGate\*, Fo